

## START UP INSTRUCTION

NEVER OPERATE THIS STEAMER WITHOUT THE KLEANSHIELD PROPERLY INSTALLED ON THE BOTTOM OF THE WATER RESERVOIR AND THE FAN GUARD PROPERLY INSTALLED OVER THE FAN.

- 1. TURN ON MAIN POWER BY CLOSING DRAIN VALVE.
- 2. CLOSE DOOR.
- 3 FOR MANUAL COOKING, SET THE TIMED / MANUAL SWITCH TO THE MANUAL POSITION.
- 4 FOR TIMED COOKING, SET THE TIMED / MANUAL SWITCH TO THE TIMED POSITION AND SET THE COOK TIME ON THE TIMER.
- STEAMER WILL NOT OPERATE OR MAINTAIN STANDBY TEMPERATURE WHEN DOOR IS OPEN.

## OPERATING INSTRUCTION

- OPEN DOOR CAREFULLY STEAM IS HOT
- THE RED LIGHT ( RESET ) AND BUZZER INDICATES A RESET CONDITION. TURN POWER OFF, WAIT 5 MINUTES, THEN TURN POWER ON. IF THIS CONDITION REPEATS ITSELF CONTACT YOUR
- SERVICE AGENCY
   DOOR SHOULD BE LEFT CLOSED IN BETWEEN COOKING OPERATIONS.
- SWITCH UNIT TO TIMED MODE WHEN NOT, IN USE (TIMER IS SET TO '0').

## SHUTDOWN INSTRUCTION

- 1. BE CAREFUL STEAMER IS HOT.
- 2 TURN UNIT "OFF" BY OPENING THE DRAIN VALVE (THE DRAIN RINSE LASTS THREE MINUTES)
- 3 AFTER STEAMER IS COOL, CLEAN COMPARTMENT REMOVE PAN RACKS, FAN GUARD & KLEANSHIELD AND CLEAN, THE WATER PAN & PROBES SHOULD BE WIDED DUTIONS WITH VINEGAR.
- BE WIPED OUT/OFF WITH VINEGAR.

  4. IT IS RECOMMENDED THAT THE DOOR BE LEFT OPEN WHEN NOT IN USE.

THESE INSTRUCTIONS ARE PROVIDED AS A REMINDER OF PROPER USAGE. THEY ARE NOT INTENDED TO REPLACE THE OPERATOR'S MANUAL, ALL OPERATOR'S SHOULD READ AND UNDERSTAND THE INSTRUCTIONS IN THE OPERATOR'S MANUAL BEFORE USING THIS STEAMER.

A REPLACEMENT MANUAL IS AVAILABLE BY SENDING THE COMPLETE MODEL NUMBER TO:





















